	Kentucky W	IC Program				
	Infant (< 1	year old)	Г	WIC Clinic:		
Certificate for Medical Necessity for	s -	Clinic Fax number				
The WIC Program provides Good Start Gen	nfants					
Noncontract standard formula request: Complete			-	Attention:		
Exception to WIC foods requests: Complete Sec				Attention.		
Exempt formula or WIC Nutritionals: Complete s	ections A, B, C a					
Kentucky Guidelines		Client must	try:			
for issuance of infant formula: Requests for milk based formula	Good Start G	ontio or Sootho				
Requests for soy based formula	Good Start Gentle or Soothe					
Requests for lactose free/reduced formula	Good Start Soy and Soothe (if no milk allergies) Good Start Soothe and Soy					
Requests for infant/toddler formulas		raduates Gentle or Soy				
Requests for 19 Kcal formulas will not be at			ased on a	above quidelines.		
A. Patient Information (please print)						
Patient's name:			DOB:			
Parent/Caregiver's Name:						
r arenaoaregiver 3 Name.						
Medical diagnosis/qualifying condition (ICD	-10 code):					
5 1 5 5 (,					
(Justifies the medical need for formula/food)						
Medical documentation valid for: \Box 1 mo.		□ 3 mos. □ 4 mos. □	5 mos.	□6 mos. □7 mos.		
□ 8 mos. □9 mos. □10 mos. □11 mo	os. □ 12 mos.					
B. Medical Formula/Food (please print)						
Name of formula or WIC Nutritionals reques	ted:					
Prescribed amount:	per day OR	d maximum allowable				
	_ per day OF	a I maximum allowable				
Prescribed amount: Special instruction/comments:	per day OF	d maximum allowable				
Special instruction/comments:			sencount	ered:		
		t □ maximum allowable Problems	s encount	tered:		
Special instruction/comments: Provide information regarding Formulas trie			s encount	tered:		
Special instruction/comments: Provide information regarding Formulas trie			s encount	tered:		
Special instruction/comments: Provide information regarding Formulas trie			s encount	tered:		
Special instruction/comments: Provide information regarding Formulas trie of time tried:	ed & length		s encount	ered:		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y	ed & length	Problems				
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 Supplemental foods: Please mark the approp	ed & length year old vriate boxes belo	Problems	would be			
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the appropreduced require special instructions. If no boxes are mark the special instructions.	ed & length year old vriate boxes belo narked, the infa	Problems pow to indicate any foods that int will receive the WIC foo	would be	contraindicated and/or		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 Supplemental foods: Please mark the approp	ed & length year old vriate boxes belo narked, the infa	Problems	would be	contraindicated and/or		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more)	ed & length year old vriate boxes belo narked, the infa	Problems pow to indicate any foods that int will receive the WIC foo	would be	contraindicated and/or		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 mor Infant cereal Infant fruits Infant ruits Infant vegetables	ed & length year old priate boxes belo harked, the infa hths of age)	Problems pow to indicate any foods that int will receive the WIC foo	would be	contraindicated and/or		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 mor Infant cereal Infant fruits Infant ruits Infant meats (fully breastfeeding infants onli	ed & length year old priate boxes belo harked, the infa hths of age)	Problems	would be ds. /Special I	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more Infant cereal Infant fruits Infant ruits Infant meats (fully breastfeeding infants onl No supplemental foods: omit all supplemental No supplemental foods: omit all supplemental Provide information (fully breastfeeding infants onl No supplemental foods: omit all supplemental Supplemental foods: omit all supplemental Provide information (fully breastfeeding infants onl No supplemental foods: omit all supplemental Difference (fully breastfeeding infants onl Difference (fully breastfeeding infants onl)	ed & length year old priate boxes belo harked, the infa hths of age)	Problems	would be ds. /Special I	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more Infant cereal Infant fruits Infant ruits Infant meats (fully breastfeeding infants onl No supplemental foods: omit all supplemental D. Health care provider information	ed & length year old priate boxes belo narked, the infa nths of age) y) ntal foods and p	Problems	would be ds. /Special I	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more Infant cereal Infant fruits Infant ruits Infant meats (fully breastfeeding infants onl No supplemental foods: omit all supplemental No supplemental foods: omit all supplemental Provide information (fully breastfeeding infants onl No supplemental foods: omit all supplemental Supplemental foods: omit all supplemental Provide information (fully breastfeeding infants onl No supplemental foods: omit all supplemental Difference (fully breastfeeding infants onl Difference (fully breastfeeding infants onl)	ed & length year old priate boxes belo narked, the infa nths of age) y) ntal foods and p	Problems	would be ds. /Special I	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more Infant cereal Infant fruits Infant ruits Infant meats (fully breastfeeding infants onl No supplemental foods: omit all supplemental D. Health care provider information	ed & length year old priate boxes belo narked, the infa nths of age) y) ntal foods and p	Problems	would be ds. /Special I	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 mor Infant cereal Infant ruits Infant meats (fully breastfeeding infants onl No supplemental foods: omit all suppleme D. Health care provider information Signature of health care provider:	ed & length year old priate boxes belo narked, the infa nths of age) y) ntal foods and p	Problems	would be ds. /Special I	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more Infant cereal Infant fruits Infant ruits Infant meats (fully breastfeeding infants onl No supplemental foods: omit all supplemental D. Health care provider information	ed & length year old priate boxes belo narked, the infa nths of age) y) ntal foods and p	Problems	would be ds. /Special I lical formu MD D	contraindicated and/or nstructions		
Special instruction/comments: Provide information regarding Formulas trie of time tried: C. WIC Supplemental Foods for Infants < 1 y Supplemental foods: Please mark the approprequire special instructions. If no boxes are m WIC Supplemental Foods(provided at 6 more Infant cereal Infant regetables Infant regetables Infant meats (fully breastfeeding infants onl No supplemental foods: omit all suppleme D. Health care provider information Signature of health care provider: Medical office/clinic: Phone number:	ed & length year old priate boxes below harked, the infanths of age) y) ntal foods and p Provider Fax number	Problems	would be ds. /Special I /Special I MD D D	contraindicated and/or nstructions		

This certification for medical necessity is necessary for providing the following products from the WIC Program for medically fragile infants.

The most commonly used products are listed below:

Hypoallergenic formulas:

- Nutramigen
- Pregestimil
- Similac Expert Care Alimentum

Impaired kidney function/hypocalcemia

• Similac PM 60/40

Premature formulas

- Enfamil EnfaCare
- Enfamil Premature with Iron 20
- Enfamil Premature with Iron 24
- Good Start Premature 24
- Similac Expert CareNeoSure
- Similac Special Care 24 with Iron
- Similac Special Care 30 with Iron

Reflux formulas

Enfamil AR

Severe cow's milk allergy/multiple food protein allergy

- Neocate Infant
- Neocate Infant DHA & ARA
- Elecare for Infants
- PurAmino

For additional products available from WIC please view the website at: http://chfs.ky.gov/dph/ach/ns/Nutrition+Education+Materials.htm

Use the above link and click on "WIC Formula Resource Guide" from the list of materials.

WIC is a registered service mark of the U. S. Department of Agriculture for USDA's Special Supplemental Nutrition Program for Women, Infant and Children.



WICHATHY					WIC Clinics
	Children age 1 to 5				WIC Clinic:
Certificate for Medical Necessity for Formula and WIC Food Exceptions					
		Clinic Fax number			
Exception to WIC foods					
Exempt formula or WIC Nutritionals: Complete A, B, C and D				Attention:	
This form should be use	d to provide quidance i	n regard to f	failure to thrive, lactose intoler	ance	
			ental delays or inability to tole		oods, medical conditions that
impair ingestion, digesti			hese foods may not be issued		
nutrient					
intake or managing body					
A. Patient Information Patient's name (Last, F				DOB:	
Fallent S hanne (Lasi, F	IISt, IVII) .			DOB.	
Parent/Caregiver's Nar	ne (Last. First, MI):				
Medical diagnosis/qua	lifying condition (ICD	-10 Code):			
	- - ``	,			
(Justifies the medical ne					
Medical documentation	n valid for: 🗆 1 mo. 🗆] 2 mos. □] 3 mos. 🗆 4 mos. 🗆 5 mos	□ 6 mos	. (not to exceed 6 months)
B. Medical formula/me	dical food and WIC su	upplementa	al foods (please print)		
Name of medical form	ula/medical food requ	ested:			
Prescribed amount:			_ per day OR □ max	imum alle	owable
Special instruction/cor	nments:				
C. Supplemental Foods	S				
		ded in addi	tion to the formula, if no bo	xes are c	hecked below.
Omit all supplement	al foods and provide	formula on	lv.		
Provide only the foll					
□ Whole Milk	□ Reduced Fat (2%)		Special Instructions:		
Low-fat (1%) Milk	□ Nonfat Milk (Skim				
□ Soy Milk	□ Cheese	•	1		
🗆 Tofu	🗆 Eggs]		
Cereal	Peanut butter]		
□ Juice	🗆 Beans				
☐ Fresh/frozen fruits	Whole grain bread	d/tortillas			
and vegetables	<u>or</u> brown rice				
□ Infant jarred fruits	Infant Cereal				
and vegetables					
D. Health care provide		_			
Signature of health car	e provider:	Prov	vider's name (please print):		
Madical office (allocit					
Medical office/clinic:					
Phone number:		Fax numb	ber:	Date:	
		Γαλ ΠυιΠί		Dale.	
Adapted from Oregon Medica	al Documentation Form	USDA is a	an equal opportunity provider	and emplo	yer. WIC - 300
Whole milk is the standard issuance for children 12-23 months of age. Low-fat (1%) milk/nonfat is the standard issuance for children 2-5 years of age.					

For the 2-5 year old, whole milk may <u>only</u> be authorized if a child requires a formula/WIC Nutritional. Infant jarred fruits and vegetables and infant cereal may <u>only</u> be authorized if a child requires a formula/WIC Nutritional.

See back for most commonly provided formulas and WIC Nutritionals.

This certification for medical necessity is necessary for providing the following products from the WIC Program. The most commonly used products are listed below:

Hypoallergenic formulas:

- Nutramigen
- Nutramigen Toddler
- Portagen
- Pregestimil
- Similac Expert Care Alimentum

Impaired kidney function/hypocalcemia

• Similac PM 60/40

Pediatric Drinks for higher calories/FTT

- Boost Kid Essentials Immunity Protection
- Boost Kid Essentials 1.5 CAL
- Boost Kid Essentials 1.5 CAL with Fiber
- Boost Plus
- Bright Beginnings Soy Pediatric Drink
- Nutren Junior
- Nutren Junior with Fiber
- Nutren Junio with Prebiotics
- PediaSure
- PediaSure with Fiber
- PediaSure 1.5 Cal
- PediaSure 1.5 Cal with Fiber
- Pediasure Peptide 1.0 Cal
- Peptamen Junior
- Peptamen Junior with Fiber
- Peptamen Junior with Prebio
- Peptamen Junior 1.5 with Prebio
- Vivonex Pediatric

Premature formulas for developmental delays

- Enfamil EnfaCare
- Enfamil Premature with Iron 20
- Enfamil Premature with Iron 24
- Good Start Premature 24
- Similac Expert Care NeoSure
- Similac Special Care with Iron 24

Severe cow's milk allergy/multiple food protein allergy

- Neocate Junior
- Neocate Junior with Prebiotics
- Elecare for Infants
- Elecare Jr.
- PurAmino

For additional products available from WIC please view the website at: <u>http://chfs.ky.gov/dph/ach/ns/Nutrition+Education+Materials.htm</u>

Use the above link and click on "WIC Formula Resource Guide" from the list of materials.

WIC is a registered service mark of the U. S. Department of Agriculture for USDA's Special Supplemental Nutrition Program for Women, Infant and Children.



WIC Clinic:

Clinic Fax number:

Attention:

Pregnant, Breastfeeding and Postpartum Women Certificate for Medical Necessity for Formula and WIC Food Exceptions

Exception to WIC foods requests: Complete Sections A, C and D Exempt formula or WIC Nutritionals: Complete A, B, C and D

This form should be used to provide guidance in regard to failure to thrive, lactose intolerance, gluten free diets, foods to avoid due to allergies, developmental delays or inability to tolerate solid foods, medical conditions that impair ingestion, digestion or absorption of nutrients, etc. These foods may not be issued solely for the purpose of enhancing nutrient intake or managing body weight.

A. Patient Information	(please print)						
Patient's name (Last, F				DOB:			
Medical diagnosis/qua	lifying condition (ICD-10) Code):					
(Justifies the medical ne	ad for formula/food)						
				os.			
	dical food (please print) Jla/medical food reques	todu					
Name of medical form	lia/medical lood reques	tea:					
Prescribed amount:		per day	OR 🗆 maximum a	llowable			
Special instruction/cor	nments:	por any					
-							
C. Supplemental foods							
			ion to the formula	if no boxes are checked below.			
	al foods and provide for	mula only.					
Omit Formula/Medic							
Provide only the foll			1				
Whole Milk	□ Reduced Fat (2%) M	ilk	Special Instructi	ons:			
□ Low-fat (1%) Milk	□ Nonfat Milk (Skim)		_				
□ Soy Milk	□ Cheese		_				
□ Tofu	□ Eggs		_				
Cereal	Peanut butter		_				
	Beans		_				
□ Fresh/frozen fruits	□ Whole grain bread/t	ortillas <u>or</u>					
and vegetables	brown rice		_				
□ Infant jarred fruits	Infant Cereal						
and vegetables							
D. Health care provider information							
Signature of health care provider:							
Signature of health care provider.							
Provider's name (please print):							
Medical office/clinic:							
Phone number:		Fax number:		Date:			
Adapted from Oregon Medical Documentation Form. USDA is an equal opportunity provider and employer. WIC - 400							

Low-fat (1%) milk/nonfat is the standard issuance for women.

Whole milk may <u>only</u> be authorized if a woman requires a formula/WIC Nutritional.

Infant jarred fruits and vegetables and infant cereal may <u>only</u> be authorized if a woman requires a formula/WIC Nutritional.

See back for most commonly provided formulas and WIC Nutritionals.

This certification for medical necessity is necessary for providing the following products from the WIC Program. The most commonly used products are listed below:

GI Malabsorption/chronically impaired GI function

- Tolerex
- Vital HN
- Vivonex Plus
- Vivonex T.E.N.

Glucose Control

Boost Glucose Control

Higher calories/Higher nutrients

- Boost
- Boost High Protein
- Boost Plus
- Ensure
- Ensure High Protein
- Ensure Plus

Impaired GI function

Peptamen

Isotonic/altered taste

Osmolite 1 Cal

Impaired kidney function/hypocalcemia

• Similac PM 60/40

For additional products available from WIC please view the website at: http://chfs.ky.gov/dph/ach/ns/Nutrition+Education+Materials.htm

Use the above link and click on "WIC Formula Resource Guide" from the list of materials.

WIC is a registered service mark of the U. S. Department of Agriculture for USDA's Special Supplemental Nutrition Program for Women, Infant and Children.

