



## Kentucky Medicaid Pharmacy Program Single Preferred Drug List (PDL)

Effective: January 1, 2021

### GENERAL DEFINITION OF TERMS

**Clinical Criteria (CC)** – Due to the nature of some medications, prior authorization may be required for the medication to be covered at any copay tier. **Medications that require prior authorization will require that certain clinical criteria be met. Medications may require the use of preferred medications (subject to PDL), in addition to satisfying appropriate clinical criteria, before approval (prior authorization, PA) can be considered.** If a medication requires PA, the ordering physician should contact Magellan Medicaid Administration, the plan's pharmacy benefit administrator. Also, prescriptions exceeding such plan limitations as **Quantity Limits (QL)**, **Step Therapy (ST)**, **Maximum Duration (MD)**, **Age Edit (AE)**, **in addition to those subject to Clinical Criteria (CC)**, will also require PA.

**Step Therapy (ST)** – Step therapy is an electronic PA process that takes place at the time the pharmacy submits the claim. For example, in the case of medications considered “second-line” agents, the system will look at the member’s paid claims history, and if a claim(s) for the required “first-line” medication(s) is located, the system will approve the claim. If “first-line” medication(s) are not located, the system will not approve the claim, and will return a message to the pharmacy advising that the Step Therapy protocol has not been satisfied and prior authorization is required. At that time, the pharmacy may contact the physician and request that they contact Magellan Medicaid Administration for PA.

**Quantity Limits (QL)** – Quantity limits have been placed on medications to be consistent with the maximum dosage that the Food and Drug Administration (FDA) has approved to be both safe and effective. Medications where the quantity exceeds the FDA’s maximum daily dose will require PA. Prescriptions exceeding plan limitations will require PA.

**Medication with Maximum Duration (MD)** – Medications indicated will be available for a defined period of days per rolling year (365 days) before requiring a new or additional PA.

**Age Edit (AE)** – Medications indicated are available for members above or below XX age without PA.

**Maintenance Drugs** – Maintenance drugs are medications that generally require regular, long-term use and are prescribed for the treatment of a chronic medical condition. The following classes are examples of common maintenance drugs. *Maintenance drugs, as determined by First Databank (FDB) or Medi-Span, can be processed for up to a 92 days’ supply for KY Medicaid recipients.*

- ACE Inhibitors
- Beta Blockers
- COPD Agents
- Diabetes Drugs
- Lipotropics
- Antidepressants
- Antipsychotics
- Anticonvulsants

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
ACE Inhibitors	benazepril enalapril lisinopril quinapril ramipril	<i>Altace</i> <sup>®</sup> <i>captopril</i> <i>Epaned</i> <sup>™</sup> <i>fosinopril</i> <i>moexipril</i> <i>perindopril</i> <i>Prinivil</i> <sup>®</sup> <i>Qbrelis</i> <sup>™</sup> <i>trandolapril</i> <i>Vasotec</i> <sup>®</sup> <i>Zestril</i> <sup>®</sup>
ACEI + Diuretic Combinations	benazepril/HCTZ lisinopril/HCTZ	<i>captopril/HCTZ</i> <i>enalapril/HCTZ</i> <i>fosinopril/HCTZ</i> <i>moexipril/HCTZ</i> <i>Prinzide</i> <sup>®</sup> <i>quinapril/HCTZ</i> <i>Zestoretic</i> <sup>®</sup>
Angiotensin Receptor Blockers	Entresto <sup>™</sup> irbesartan losartan olmesartan valsartan	<i>Atacand</i> <sup>®</sup> <i>Avapro</i> <sup>®</sup> <i>Benicar</i> <sup>®</sup> <i>candesartan</i> <i>Cozaar</i> <sup>®</sup> <i>Diovan</i> <sup>®</sup> <i>Edarbi</i> <sup>™</sup> <i>eprosartan</i> <i>Micardis</i> <sup>®</sup> <i>telmisartan</i>
ARB + Diuretic Combinations	irbesartan/HCTZ losartan/HCTZ olmesartan/HCTZ valsartan/HCTZ	<i>Atacand HCT</i> <sup>®</sup> <i>Avalide</i> <sup>®</sup> <i>Benicar HCT</i> <sup>®</sup> <i>candesartan/HCTZ</i> <i>Diovan HCT</i> <sup>®</sup> <i>Edarbyclor</i> <sup>™</sup> <i>Hyzaar</i> <sup>®</sup> <i>Micardis HCT</i> <sup>®</sup> <i>telmisartan/HCTZ</i>
Angiotensin Modulator + CCB Combinations	amlodipine/benazepril valsartan/amlodipine valsartan/amlodipine/HCTZ	<i>Azor</i> <sup>™</sup> <i>Exforge</i> <sup>®</sup> <i>Exforge HCT</i> <sup>®</sup> <i>Lotrel</i> <sup>®</sup> <i>olmesartan/amlodipine</i> <i>olmesartan/amlodipine/HCTZ</i> <i>Tarka</i> <sup>®</sup> <i>Tribenzor</i> <sup>®</sup> <i>telmisartan/amlodipine</i> <i>verapamil/trandolapril</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Anginal & Anti-Ischemic Agent	ranolazine ER	<i>Corlanor® CC</i> <i>Ranexa®</i>
Oral Anti-Arrhythmics	amiodarone 100, 200 mg disopyramide dofetilide flecainide mexiletine propafenone quinidine sulfate quinidine sulfate ER Sorine® sotalol sotalol AF	<i>amiodarone 400 mg</i> <i>Betapace®</i> <i>Betapace AF®</i> <i>Multaq®</i> <i>Norpace®</i> <i>Norpace® CR</i> <i>Pacerone®</i> <i>propafenone SR</i> <i>quinidine gluconate ER</i> <i>Sotylyze® CC</i> <i>Rythmol SR®</i> <i>Tikosyn®</i>
Direct Renin Inhibitors	N/A	<i>aliskiren</i> <i>Tekturna®</i> <i>Tekturna HCT®</i>
Beta Blockers	atenolol bisoprolol metoprolol tartrate metoprolol succinate ER nadolol propranolol propranolol ER	<i>acebutolol</i> <i>betaxolol</i> <i>Bystolic™</i> <i>Corgard®</i> <i>Hemangeol™</i> <i>Inderal® LA</i> <i>Inderal® XL</i> <i>Innopran XL®</i> <i>Kapspargo™</i> <i>Levatol®</i> <i>Lopressor®</i> <i>pindolol</i> <i>Tenormin®</i> <i>timolol</i> <i>Toprol XL®</i>
Beta Blockers + Diuretic Combinations	atenolol/chlorthalidone bisoprolol/HCTZ	<i>Corzide®</i> <i>Lopressor® HCT</i> <i>metoprolol tartrate/HCTZ</i> <i>nadolol/bendroflumethiazide</i> <i>propranolol/HCTZ</i> <i>Tenoretic®</i> <i>Ziac®</i>
Alpha/Beta Blockers	carvedilol labetalol	<i>carvedilol ER</i> <i>Coreg®</i> <i>Coreg CR®</i>

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Calcium Channel Blockers (DHP)</b>	amlodipine nifedipine ER/SA/SR	<i>Adalat CC®</i> <i>Afeditab™ CR</i> <i>Dynacirc®</i> <i>felodipine ER</i> <i>isradipine</i> <i>Katerzia™</i> <i>nicardipine</i> <i>nifedipine IR CC</i> <i>nimodipine CC</i> <i>nisoldipine ER</i> <i>Norvasc®</i> <i>Nymalize® cc</i> <i>Plendil®</i> <i>Procardia®</i> <i>Procardia XL®</i> <i>Sular®</i>
<b>Calcium Channel Blockers (Non-DHP)</b>	diltiazem diltiazem ER verapamil verapamil ER (except 360 mg capsules)	<i>Calan®</i> <i>Calan® SR</i> <i>Cardizem®</i> <i>Cardizem CD®</i> <i>Cardizem LA®</i> <i>Cartia XT</i> <i>Dilt-XR</i> <i>Diltia XT®</i> <i>diltiazem LA</i> <i>Matzim LA™</i> <i>Taztia XT</i> <i>Tiazac®</i> <i>verapamil ER 360 mg capsules</i> <i>verapamil ER PM</i> <i>Verelan®</i> <i>Verelan PM®</i>
<b>Pulmonary Arterial Hypertension (PAH) Agents</b>	ambrisentan CC Revatio™ suspension CC sildenafil tablets CC tadalafil CC, QL Tracleer® tablets CC Ventavis® CC	<i>Adcirca™ QL</i> <i>Adempas®</i> <i>bosentan tablets</i> <i>Letairis™</i> <i>Opsumit®</i> <i>Orenitram ER™</i> <i>Revatio™ tablets</i> <i>sildenafil suspension</i> <i>Tracleer® 32 mg tablets for suspension CC</i> <i>Tyvaso™</i> <i>Uptravi® QL</i>

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Lipotropics: Bile Acid Sequestrants</b>	cholestyramine cholestyramine light colestipol tablets Prevalite®	<i>Colestid</i> ® <i>colesevelam</i> <i>colestipol granules/packets</i> <i>Questran</i> ® <i>Questran Light</i> ® <i>WelChol</i> ®
<b>Lipotropics: Fibric Acid Derivatives</b>	fenofibrate nanocrystallized (generic Tricor®) fenofibric acid (generic Trilipix®) gemfibrozil	<i>Antara</i> ® <i>fenofibrate</i> <i>Fenoglide</i> ® <i>Lipofen</i> ® <i>Lofibra</i> ® <i>Lopid</i> ® <i>TriCor</i> ® <i>Triglide</i> ® <i>Trilipix</i> ®
<b>Lipotropics: Other</b>	ezetimibe niacin ER omega-3 acid ethyl esters	<i>icosapent ethyl</i> <i>Juxtapid</i> ® CC <i>Lovaza</i> ® <i>Nexletol</i> ™ CC, QL <i>Nexlizet</i> ™ CC, QL <i>Niaspan</i> ® <i>Praluent</i> ® CC <i>Repatha</i> ™ CC <i>Vascepa</i> ® <i>Zetia</i> ®
<b>Lipotropics: Statins</b>	atorvastatin QL lovastatin QL pravastatin QL simvastatin QL rosuvastatin QL	<i>Atorprev</i> ® QL <i>amlodipine/atorvastatin</i> CC, QL <i>Caduet</i> ® QL <i>Crestor</i> ® QL <i>Ezallor</i> ™ Sprinkle QL <i>ezetimibe/simvastatin</i> QL <i>fluvastatin</i> QL <i>fluvastatin ER</i> QL <i>Lescol XL</i> ® QL <i>Lipitor</i> ® QL <i>Livalo</i> ® QL <i>Pravachol</i> ® QL <i>Vytorin</i> ™ QL <i>Zocor</i> ® QL <i>Zypitamag</i> QL
<b>Platelet Aggregation Inhibitors</b>	Aggrenox® Brilinta™ cilostazol clopidogrel dipyridamole prasugrel	<i>aspirin/dipyridamole</i> <i>Durlaza ER</i> ® QL <i>Effient</i> ™ <i>Plavix</i> ® <i>ticlopidine</i> <i>Zontivity</i> ™

AE = Age Edits    CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits    ST = Step Therapy

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Anticoagulants	Eliquis® enoxaparin Jantoven® Pradaxa® warfarin Xarelto®	Arixtra™ Coumadin® fondaparinux Fragmin® Lovenox® Savaysa™

## II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Emetics: Other	meclizine metoclopramide oral solution, tablets prochlorperazine tablets promethazine syrup, tablets promethazine 12.5, 25 mg suppositories Transderm-Scop®	Compazine® Compro® Bonjesta® CC, QL Diclegis™ CC, QL doxylamine/pyridoxine CC, QL metoclopramide ODT Phenadz® Phenergan® prochlorperazine suppositories promethazine 50 mg suppositories Reglan® scopolamine transdermal system Tigan® trimethobenzamide
Oral Anti-Emetics: 5-HT3 Antagonists	ondansetron	Aloxi® QL Anzemet® granisetron Sancuso® CC, QL Zofran® Zuplenz®
Oral Anti-Emetics: NK-1 Antagonists	Emend® capsules QL	Akyenzeo® QL aprepitant QL Emend® powder packet QL Varubi® CC, QL
Oral Anti-Emetics: Δ-9-THC Derivatives	dronabinol CC, QL	Cesamet® CC, QL Marinol® CC, QL
H2 Receptor Antagonists	famotidine	cimetidine nizatidine Pepcid®

## II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Proton Pump Inhibitors</b>	esomeprazole magnesium capsules <sup>QL</sup> lansoprazole capsules <sup>QL</sup> Nexium® suspension <sup>QL</sup> omeprazole capsules <sup>QL</sup> pantoprazole tablets <sup>QL</sup>	<i>Aciphex® QL</i> <i>Dexilant™ QL</i> <i>esomeprazole suspension QL</i> <i>esomeprazole strontium QL</i> <i>lansoprazole ODT QL</i> <i>Nexium® capsules QL</i> <i>omeprazole suspension QL</i> <i>omeprazole/sodium bicarbonate QL</i> <i>pantoprazole suspension QL</i> <i>Prevacid® QL</i> <i>Prilosec® QL</i> <i>Protonix® QL</i> <i>rabeprazole QL</i> <i>Zegerid® QL</i>
<b>Anti-Ulcer Protectants</b>	Carafate® suspension misoprostol sucralfate tablets	<i>Carafate® tablets</i> <i>Cytotec®</i> <i>sucralfate suspension</i>
<b>H. pylori Treatment</b>	Pylera® <sup>QL</sup>	<i>Helidac® QL</i> <i>lansoprazole/amoxicillin/clarithromycin QL</i> <i>Omeclamox-Pak™ QL</i> <i>Prevpac® QL</i> <i>Talicia®</i>
<b>Antispasmodics/ Anticholinergics</b>	dicyclomine glycopyrrrolate hyoscyamine methscopolamine	<i>Anaspaz®</i> <i>Bentyl®</i> <i>chlordiazepoxide/clidinium</i> <i>Cuvposa®</i> <i>Hyosyne®</i> <i>Levbid®</i> <i>Levsin®</i> <i>Librax®</i> <i>Oscimin®</i> <i>Phenohytrō®</i> <i>phenobarbital/hyoscyamine/atropine/scopolamine propantheline</i> <i>Robinul®</i> <i>Robinul Forte®</i> <i>Symax®</i>
<b>Bile Salts</b>	ursodiol capsules, tablets	<i>Actigall®</i> <i>Chenodal®</i> <i>Cholbam®</i> <i>Ocaliva® CC, QL</i> <i>Urso®, Urso Forte®</i>

## II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Antidiarrheals	diphenoxylate with atropine tablets loperamide	<i>diphenoxylate with atropine liquid</i> <i>Lomotil®</i> <i>Motofen®</i> <i>Mytesi™ CC, QL</i> <i>opium</i> <i>paregoric</i> <i>Restora®</i>
Ulcerative Colitis Agents	Apriso™ balsalazide Lialda™ mesalamine enema (generic Rowasa®) mesalamine suppository (generic Canasa®) Pentasa® sulfasalazine sulfasalazine EC	<i>Asacol® HD</i> <i>Azulfidine®</i> <i>Azulfidine EN-tabs®</i> <i>budesonide ER (generic Uceris®)</i> <i>Canasa®</i> <i>Colazal®</i> <i>Delzicol®</i> <i>Dipentum®</i> <i>Giazo®</i> <i>mesalamine oral formulations (generics of Apriso™, Delzicol®, and Lialda™)</i> <i>Rowasa®, sfRowasa®</i> <i>Uceris®</i>
Laxatives and Cathartics	lactulose solution (including Constulose®, Enulose®, Generlac) MoviPrep® polyethylene glycol (PEG) 3350 bottle PEG 3350/electrolyte solution for reconstitution (including GaviLyte-C®, GaviLyte-G®) PEG 3350/electrolyte solution with flavor packs	<i>alvimopan</i> <i>Clenpiq™</i> <i>CoLyte®</i> <i>Entereg®</i> <i>GaviLyte-N®</i> <i>GoLytely®</i> <i>Kristalose®</i> <i>NuLytely®</i> <i>OsmoPrep® Tablets</i> <i>PEG 3350 powder packets</i> <i>PEG-3350, sodium sulfate, sodium chloride, potassium chloride, sodium ascorbate and ascorbic acid for oral solution</i> <i>Prepopik™</i> <i>Suprep®</i> <i>Sutab®</i> <i>Trilyte®</i>
GI Motility Agents	Amitiza® CC, QL Linzess® CC, QL Movantik® CC, QL	<i>alosetron CC, QL</i> <i>Lotronex® CC, QL</i> <i>Motegrity™ CC, QL</i> <i>Relistor® CC, QL</i> <i>Sympreco® CC, QL</i> <i>Trulance™ CC, QL</i> <i>Viberzi® CC, QL</i>

### III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics, Inhaled</b>	Bethkis® QL Kitabis™ Pak QL	Arikayce® CC, QL Cayston® QL TOBI® QL TOBI Podhaler® QL tobramycin inhalation solution QL
<b>Minimally Sedating Antihistamines</b>	cetirizine oral solution, tablets levocetirizine tablets loratadine OTC loratadine-pseudoephedrine 12-Hour OTC loratadine-pseudoephedrine 24-Hour OTC	Clarinex® Clarinex-D® 12 Hr Clarinex-D® 24 Hr desloratadine levocetirizine solution Semprex D® Xyzal® Zyrtec® Zyrtec-D
<b>Intranasal Antihistamines and Anticholinergics</b>	azelastine 0.1% ipratropium nasal spray olopatadine	Astupro® azelastine 0.15% Patanase™
<b>Short-Acting Beta<sub>2</sub> Adrenergic Agonists</b>	albuterol inhalation solution QL albuterol low-dose inhalation solution QL ProAir® HFA QL terbutaline tablets QL Ventolin HFA® QL	albuterol HFA QL albuterol oral syrup, tablets QL albuterol ER tablets QL levalbuterol inhalation solution QL metaproterenol oral syrup, tablets QL ProAir® Digihaler™ QL ProAir Respiclick® QL Proventil® HFA QL Xopenex® QL Xopenex HFA® QL
<b>Long-Acting Beta<sub>2</sub> Adrenergic Agonists</b>	Serevent® Diskus QL	Arcapta™ Neohaler™ QL Brovana® CC, QL Performist™ CC, QL Striverdi® Respimat® QL
<b>Beta Agonists: Combination Products</b>	Advair® Diskus QL Advair® HFA QL Dulera® QL Symbicort® QL	AirDuo™ Digihaler™ CC, QL AirDuo™ Respiclick® CC, QL Breo® Ellipta® QL budesonide/formoterol QL fluticasone/salmeterol Wixela™ Inhub™ QL
<b>COPD Agents</b>	albuterol-ipratropium inhalation solution QL Anoro® Ellipta® QL Atrovent® HFA QL Bevespi Aerosphere™ QL Combivent® Respimat® QL ipratropium inhalation solution QL Spiriva Handihaler® QL Stiolto™ Respimat® QL	Breztri Aerosphere™ QL Daliresp™ CC, QL Duaklir® Pressair® Incruse® Ellipta® QL Lonhala™ Magnair™ CC, QL Spiriva® Respimat® QL Trelegy Ellipta CC, QL Tudorza® Pressair™ QL Yupleri® CC, QL

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

### III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Inhaled Corticosteroids	Asmanex® Twisthaler <sup>QL</sup> budesonide inhalation suspension <sup>AE, QL</sup> Flovent HFA® <sup>QL</sup>	Alvesco® <sup>QL</sup> ArmonAir™ Digihaler™ ArmonAir™ RespiClick® Arnuity® Ellipta® <sup>QL</sup> Asmanex® HFA <sup>QL</sup> Flovent Diskus® <sup>QL</sup> Pulmicort Flexhaler® <sup>QL</sup> Pulmicort Respules® <sup>QL</sup> QVAR® Redihaler™
Intranasal Corticosteroids	fluticasone propionate <sup>QL</sup>	azelastine/fluticasone <sup>QL</sup> Beconase AQ® <sup>QL</sup> budesonide <sup>QL</sup> Children's Qnasl™ <sup>QL</sup> Dymista® <sup>QL</sup> flunisolide <sup>QL</sup> Nasonex® <sup>QL</sup> Omnaris™ <sup>QL</sup> Qnasl™ <sup>QL</sup> triamcinolone <sup>QL</sup> Veramyst® <sup>QL</sup> Xhance™ CC Zetonna™ <sup>QL</sup>
Leukotriene Modifiers	montelukast chewables, tablets <sup>QL</sup> montelukast granules <sup>AE, QL</sup>	Accolate® <sup>QL</sup> Singulair® <sup>QL</sup> zileuton ER <sup>QL</sup> zafirlukast <sup>QL</sup> Zyflo® <sup>QL</sup> Zyflo CR® <sup>QL</sup>
Self Injectable Epinephrine	epinephrine 0.3 mg (generic EpiPen®) <sup>QL</sup> epinephrine 0.15 mg (generic EpiPen Jr.®) <sup>QL</sup>	epinephrine 0.3 mg (generic Adrenaclick®) <sup>QL</sup> epinephrine 0.15 mg (generic Adrenaclick®) <sup>QL</sup> EpiPen® <sup>QL</sup> EpiPen Jr.® <sup>QL</sup> Symjepi™ <sup>QL</sup>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Alzheimer's Agents	donepezil 5 and 10 mg tablets, ODT Exelon® Patch memantine tablets rivastigmine capsules	<i>Aricept®</i> <i>donepezil 23 mg tablets CC</i> <i>Exelon® capsules</i> <i>galantamine</i> <i>galantamine ER</i> <i>memantine ER</i> <i>memantine solution</i> <i>Namzaric®</i> <i>Namenda® tablets</i> <i>Namenda XR®</i> <i>Razadyne®</i> <i>rivastigmine patch</i>
Antianxiety Agents	alprazolam IR tablets <sup>MD</sup> buspirone chlordiazepoxide <sup>MD</sup> diazepam oral solution, tablets <sup>MD</sup> lorazepam <sup>MD</sup>	<i>alprazolam ER MD</i> <i>alprazolam ODT MD</i> <i>alprazolam Intensol MD</i> <i>Ativan® MD</i> <i>clorazepate MD</i> <i>diazepam Intensol MD</i> <i>meprobamate</i> <i>oxazepam MD</i> <i>Tranxene-T® MD</i> <i>Valium® MD</i> <i>Xanax® MD</i> <i>Xanax XRMD</i>
Antidepressants: MAOIs	N/A	<i>Emsam®</i> <i>Marplan®</i> <i>Nardil®</i> <i>phenelzine</i> <i>tranylcypromine</i>
Antidepressants: Other	bupropion bupropion XL 150, 300 mg tablets bupropion SR trazodone	<i>Aplenzin™</i> <i>bupropion XL 450 mg tablets</i> <i>Forfivo XL™</i> <i>nefazodone</i> <i>Spravato™ CC, QL</i> <i>Viibryd™</i> <i>Trintellix™</i> <i>Wellbutrin®/Wellbutrin® SR/Wellbutrin® XL</i>
Antidepressants: SNRIs	desvenlafaxine succinate ER (generic Pristiq®) venlafaxine venlafaxine ER capsules	<i>desvenlafaxine ER base</i> <i>desvenlafaxine fumarate ER</i> <i>Effexor XR®</i> <i>Fetzima®</i> <i>Khedeza™</i> <i>Pristiq®</i> <i>venlafaxine ER tablets</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antidepressants: SSRIs</b>	citalopram escitalopram tablets fluoxetine capsules, solution fluoxetine ER paroxetine sertraline	<i>Brisdelle™ CC</i> <i>Celexa®</i> <i>escitalopram solution</i> <i>fluoxetine 90 mg DR, tablets QL</i> <i>fluvoxamine</i> <i>fluvoxamine ER</i> <i>Lexapro™</i> <i>paroxetine controlled release</i> <i>Paxil®</i> <i>Paxil® CR</i> <i>Pexeva®</i> <i>Prozac®</i> <i>Sarafem®</i> <i>Zoloft®</i>
<b>Antidepressants: Tricyclics</b>	amitriptyline clomipramine doxepin concentrate imipramine hydrochloride mirtazapine nortriptyline capsule	<i>Anafranil®</i> <i>amoxapine</i> <i>desipramine</i> <i>doxepin capsules, tablets</i> <i>imipramine pamoate</i> <i>maprotiline</i> <i>Norpramin®</i> <i>nortriptyline solution</i> <i>Pamelor®</i> <i>protriptyline</i> <i>Remeron®</i> <i>Silenor®</i> <i>Surmontil®</i> <i>Tofranil®</i>
<b>Anticonvulsants: First Generation</b>	Celontin® clobazam QL clonazepam tablets QL diazepam rectal gel QL divalproex delayed-release divalproex sodium ER divalproex sprinkle ethosuximide felbamate Peganone® phenobarbital CC phenytoin IR/ER primidone CC valproate valproic acid Valtoco® QL	<i>clonazepam ODT</i> <i>Depakene®</i> <i>Depakote®</i> <i>Depakote ER®</i> <i>Depakote® Sprinkle</i> <i>DiaStat® QL</i> <i>Dilantin®</i> <i>Felbatol®</i> <i>Klonopin® QL</i> <i>Mysoline®</i> <i>Nayzilam® CC, QL</i> <i>Onfi™ QL</i> <i>Phenytek®</i> <i>Sympazan™ CC, QL</i> <i>Zarontin®</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Anticonvulsants: Second Generation</b>	Benzel® CC, QL Gabitril® QL lamotrigine chewable tablets, tablets (except dose packs) levetiracetam ER QL levetiracetam solution, tablets QL Sabril® CC topiramate QL zonisamide QL	Briviact® QL Diacomit™ CC, QL Epidiolex™ CC Fycompa™ QL Keppra® solution, tablets QL Keppra XR® QL Lamictal® Lamictal ODT® Lamictal® XR™ QL lamotrigine dose packs lamotrigine ER QL lamotrigine ODT Qudexy® XR QL rufinamide QL Spritam QL tiagabine QL Topamax® QL topiramate ER QL Trokendi XR™ QL vigabatrin Vimpat® QL Xcopri® CC, QL
<b>Anticonvulsants: Carbamazepine Derivatives</b>	carbamazepine tablets carbamazepine ER capsules (generic Carbatrol®) carbamazepine ER tablets Equetro™ oxcarbazepine QL Tegretol® suspension	Aptom® QL carbamazepine suspension Carbatrol® Epitol® Oxtellar™ XR QL Tegretol® tablets Tegretol® XR Trileptal® QL
<b>First-Generation Antipsychotics</b>	amitriptyline/perphenazine chlorpromazine fluphenazine haloperidol loxapine perphenazine thioridazine thiothixene trifluoperazine	Adasuve® pimozide

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Second-Generation Antipsychotics</b>	aripiprazole tablets CC, QL clozapine tablets CC, QL Latuda® CC, QL olanzapine CC, QL quetiapine CC, QL quetiapine ER CC, QL risperidone CC, QL Saphris® CC, QL Vraylar™ CC, QL ziprasidone capsules CC, QL	<i>Abilify® oral formulations QL</i> <i>aripiprazole ODT, oral solution</i> <i>Caplyta® CC, QL</i> <i>clozapine ODT QL</i> <i>Clozарil® QL</i> <i>Fanapt™ QL</i> <i>FazaClo® QL</i> <i>Geodon® capsules QL</i> <i>Invega® QL</i> <i>olanzapine/fluoxetine CC, QL</i> <i>Nuplazid™ CC, QL</i> <i>paliperidone QL</i> <i>Rexulti® QL</i> <i>Risperdal® QL</i> <i>Secuado® QL</i> <i>Seroquel® QL</i> <i>Seroquel® XR QL</i> <i>Symbax® CC, QL</i> <i>Versacloz® QL</i> <i>Zyprexa® QL</i>
<b>Antipsychotics: Injectable</b>	Abilify Maintena™ CC, QL Aristada ER™ CC, QL Aristada Initio™ CC, QL fluphenazine decanoate CC, QL Geodon® injection CC, QL haloperidol decanoate CC, QL haloperidol lactate CC, QL Invega® Sustenna® CC, QL Invega Trinza™ CC, QL olanzapine CC, QL Risperdal® Consta® CC, QL	<i>Haldol® Decanoate QL</i> <i>Haldol® Lactate QL</i> <i>Perseris™</i> <i>ziprasidone injection QL</i> <i>Zyprexa® QL</i> <i>Zyprexa® Relprevv QL</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Stimulants and Related Agents</b>	Adderall XR® CC, QL Concerta® CC, QL atomoxetine CC, QL dexmethylphenidate CC, QL dextroamphetamine CC, QL Focalin XR® CC, QL guanfacine ER CC, QL methylphenidate tablets CC, QL mixed amphetamine salts tablets CC, QL Vyvanse® capsules, chewable tablets CC, QL	<i>Adderall® QL</i> <i>Adhansia XR™ QL</i> <i>Adzenys ER™</i> <i>Adzenys XR-ODT™ QL</i> <i>amphetamine ER suspension QL</i> <i>amphetamine sulfate</i> <i>Aptensio XR® QL</i> <i>clonidine ER QL</i> <i>Cotempla XR-ODT™ QL</i> <i>Daytrana® QL</i> <i>Desoxyn® QL</i> <i>Dexedrine® QL</i> <i>dexmethylphenidate ER QL</i> <i>dextroamphetamine ER QL</i> <i>dextroamphetamine solution QL</i> <i>Dyanavel® XR QL</i> <i>Evekeo® QL</i> <i>Evekeo® ODT QL</i> <i>Focalin® QL</i> <i>Intuniv® QL</i> <i>Jornay PM™ QL</i> <i>Metadata® ER QL</i> <i>methamphetamine QL</i> <i>Methylin® solution QL</i> <i>methylphenidate CD (generic Metadate CD®) QL</i> <i>methylphenidate chewable tablets QL</i> <i>methylphenidate ER tablets QL</i> <i>methylphenidate ER OROS (generic Concerta®) QL</i> <i>methylphenidate LA (generic Ritalin LA®) QL</i> <i>methylphenidate solution QL</i> <i>mixed amphetamine salts ER capsules QL</i> <i>Mydayis™ QL</i> <i>ProCentra® QL</i> <i>QuilliChew ER™ QL</i> <i>Quillivant XR® QL</i> <i>Relexxii QL</i> <i>Ritalin® QL</i> <i>Ritalin LA® QL</i> <i>Strattera® QL</i> <i>Zenzedi® QL</i>

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Anti-Migraine: 5-HT1 Receptor Agonists</b>	rizatriptan <sup>QL</sup> rizatriptan ODT <sup>QL</sup> sumatriptan nasal spray, syringe, tablet, vial <sup>QL</sup>	<i>almotriptan <sup>QL</sup></i> <i>Amerge® <sup>QL</sup></i> <i>Axert® <sup>QL</sup></i> <i>Cambia™</i> <i>eletriptan <sup>QL</sup></i> <i>Frova™ <sup>QL</sup></i> <i>frovatriptan <sup>QL</sup></i> <i>Imitrex® <sup>QL</sup></i> <i>Maxalt® <sup>QL</sup></i> <i>Maxalt-MLT® <sup>QL</sup></i> <i>naratriptan <sup>QL</sup></i> <i>Onzetra™ XSail™ <sup>QL</sup></i> <i>Relpax™ <sup>QL</sup></i> <i>Reyvow™ CC, <sup>QL</sup></i> <i>sumatriptan kit <sup>QL</sup></i> <i>sumatriptan/naproxen <sup>QL</sup></i> <i>Treximet™ <sup>QL</sup></i> <i>Tosymra™</i> <i>Zembrace™ SymTouch™ <sup>QL</sup></i> <i>zolmitriptan <sup>QL</sup></i> <i>zolmitriptan ODT <sup>QL</sup></i> <i>Zomig® <sup>QL</sup></i> <i>Zomig-ZMT® <sup>QL</sup></i>
<b>Anti-Migraine: CGRP Inhibitors</b>	Ajovy™ CC, <sup>QL</sup> Emgality™ 120 mg/mL <sup>CC, QL</sup> Nurtec™ ODT <sup>CC, QL</sup>	<i>Aimovig™ <sup>QL</sup></i> <i>Emgality™ 100 mg/mL <sup>CC, QL</sup></i> <i>Ubrelvy™ CC, <sup>QL</sup></i>
<b>Dopamine Receptor Agonists</b>	bromocriptine pramipexole ropinirole	<i>Mirapex® ER</i> <i>Neupro®</i> <i>Parlodel®</i> <i>pramipexole ER</i> <i>ropinirole ER</i>
<b>Movement Disorders</b>	tetrabenazine	<i>Austedo® CC, <sup>QL</sup></i> <i>Ingrezza® CC, <sup>QL</sup></i> <i>Xenazine®</i>
<b>Narcolepsy Agents</b>	modafinil <sup>CC, QL</sup>	<i>armodafinil <sup>QL</sup></i> <i>Nuvigil® <sup>QL</sup></i> <i>Provigil® <sup>QL</sup></i> <i>Sunosi™ CC, <sup>QL</sup></i> <i>Wakix® CC, <sup>QL</sup></i> <i>Xyrem® CC, <sup>QL</sup></i> <i>Xywav™ CC, <sup>QL</sup></i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Neuropathic Pain</b>	duloxetine DR (generic Cymbalta®) gabapentin capsules, solution, tablets QL lidocaine 5% patch QL pregabalin CC, QL	Cymbalta® <i>DermacinRx PHN Pak™</i> <i>duloxetine (generic Irenka™)</i> <i>Drizalma Sprinkle™</i> <i>Gralise™</i> <i>Horizant®</i> <i>Lidoderm® QL</i> <i>Lyrica® QL</i> <i>Lyrica® CR QL</i> <i>Neurontin® QL</i> <i>Savella®</i> <i>ZTlido™</i>
<b>Parkinson's Disease</b>	amantadine benztropine entacapone levodopa/carbidopa levodopa/carbidopa CR levodopa/carbidopa ODT selegiline trihexyphenidyl	Azilect® <i>carbidopa</i> <i>Comtan®</i> <i>Duopa™</i> <i>Gocovri™</i> <i>Inbrija™</i> <i>Kynamobi™ CC, QL</i> <i>levodopa/carbidopa/entacapone</i> <i>Lodosyn®</i> <i>Nourianz™ CC QL</i> <i>Osmolex™ ER</i> <i>rasagiline</i> <i>Ratyary™</i> <i>Sinemet®</i> <i>Sinemet® CR</i> <i>Stalevo®</i> <i>Tasmar®</i> <i>tolcapone</i> <i>Xadago® CC, QL</i> <i>Zelapar™</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Sedative Hypnotic Agents	temazepam 15 mg, 30 mg MD, QL zolpidem MD, QL	<i>Ambien® MD, QL</i> <i>Ambien CR® MD, QL</i> <i>Belsomra® MD, QL</i> <i>Dayvigo™ MD, QL</i> <i>Doral® MD, QL</i> <i>Edluar® CC, MD, QL</i> <i>estazolam MD, QL</i> <i>eszopiclone MD, QL</i> <i>flurazepam MD, QL</i> <i>Halcion® MD, QL</i> <i>Hetlioz® CC, QL</i> <i>Intermezzo® MD, QL</i> <i>Lunesta™ MD, QL</i> <i>ramelteon CC, MD, QL</i> <i>Restoril® MD, QL</i> <i>Rozerem® CC, MD, QL</i> <i>Sonata® MD, QL</i> <i>temazepam 7.5 mg, 22.5 mg MD, QL</i> <i>triazolam MD, QL</i> <i>zaleplon MD, QL</i> <i>zolpidem ER MD, QL</i> <i>Zolpimist™ MD, QL</i>
Skeletal Muscle Relaxants	baclofen QL chlorzoxazone QL cyclobenzaprine QL methocarbamol QL orphenadrine QL tizanidine tablets QL	<i>Amrix® QL, MD</i> <i>carisoprodol QL, MD</i> <i>carisoprodol compound QL, MD</i> <i>cyclobenzaprine ER QL, MD</i> <i>Dantrium® QL</i> <i>dantrolene QL, CC</i> <i>Fexmid® QL, MD</i> <i>Lorzone® QL</i> <i>metaxalone QL</i> <i>Norgesic Forte</i> <i>Robaxin® QL</i> <i>Skelaxin® QL</i> <i>Soma® QL, MD</i> <i>tizanidine capsules QL</i> <i>Zanaflex® QL</i>
Spinal Muscular Atrophy	N/A	<i>Zolgensma® CC</i>
Tobacco Cessation	bupropion SR QL Chantix® AE, QL nicotine buccal/gum/lozenge QL nicotine transdermal system QL Nicotrol® Inhaler QL Nicotrol® NS QL	<i>Commit® QL</i> <i>Nicoderm® QL</i> <i>Nicoderm CQ® QL</i> <i>Nicorelief® QL</i> <i>Nicorette® QL</i> <i>Nicotrol® Patch QL</i>

## V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Narcotic Agonist/ Antagonists</b>	N/A	<i>butorphanol NS</i> <i>pentazocine/naloxone</i>
<b>Narcotics: Short-Acting</b>	butalbital/APAP/caffeine CC codeine/APAP CC, MD, QL hydrocodone/APAP CC, MD, QL hydrocodone/ibuprofen CC, MD, QL hydromorphone tablets CC, MD, QL morphine concentrate, solution, tablets CC, MD, QL oxycodone solution, tablets CC, MD, QL oxycodone/APAP CC, MD, QL tramadol CC, MD, QL	<i>Apadaz™ MD, QL</i> <i>Ascomp® with codeine CC, QL</i> <i>benzhydrocodone/APAP MD, QL</i> <i>butalbital/APAP/caffeine/codeine CC, QL</i> <i>butalbital compound/codeine CC, QL</i> <i>Capital® with codeine MD, QL</i> <i>carisoprodol compound MD, QL</i> <i>codeine MD, QL</i> <i>Demerol™ MD, QL</i> <i>dihydrocodeine bitartrate/APAP/caffeine MD, QL</i> <i>dihydrocodeine bitartrate/ASA/caffeine MD, QL</i> <i>Dilauidia® MD, QL</i> <i>Fiorinal with codeine MD, QL</i> <i>hydromorphone liquid, suppositories MD, QL</i> <i>Ibudone™ MD, QL</i> <i>levorphanol MD, QL</i> <i>Lorcet® MD, QL, Lorcet® HD MD, QL, Lorcet® Plus MD, QL</i> <i>Lortab® MD, QL</i> <i>meperidine solution, tablets MD, QL</i> <i>morphine suppository MD, QL</i> <i>Norco® MD, QL</i> <i>Nucynta™ MD, QL</i> <i>Opana® MD, QL</i> <i>Oxaydo® MD, QL</i> <i>oxycodone capsules, concentrate MD, QL</i> <i>oxycodone/ASA MD, QL</i> <i>oxycodone/ibuprofen MD, QL</i> <i>oxymorphone MD, QL</i> <i>Panlor® MD, QL</i> <i>Percocet® MD, QL</i> <i>Primlev® (brand and generic) MD, QL</i> <i>Repraxain® MD, QL</i> <i>Roxicodone® MD, QL</i> <i>Roxybond™ MD, QL</i> <i>Synalgos-DC® MD, QL</i> <i>tramadol/APAP MD, QL</i> <i>Tylenol® with codeine MD, QL</i> <i>Ultracet® MD, QL</i> <i>Ultram® MD, QL</i> <i>Vanatol™ LQ CC, Vanatol® S CC, Vtol LQ™ CC</i> <i>Verdrocet MD, QL</i> <i>Vicodin® MD, QL, Vicodin ES® MD, QL, Vicodin HP® MD, QL</i> <i>Xartemis™ XR MD, QL</i> <i>Xodol® MD, QL</i> <i>Xylon™ MD, QL</i> <i>Zamicet™ MD, QL</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Narcotics: Long-Acting</b>	Embeda™ CC, QL (discontinued November 15, 2019) fentanyl transdermal 12, 25, 50, 75, 100 mcg CC, QL morphine sulfate SA (generic MS Contin®) CC, QL	<i>Arymo® ER QL</i> <i>Belbuca™ QL</i> <i>buprenorphine patch CC, QL</i> <i>Butrans™ CC, QL</i> <i>ConZip™ QL</i> <i>Duragesic® CC, QL</i> <i>Exalgo™ QL</i> <i>fentanyl transdermal 37.5, 62.5, 87.5 mcg CC, QL</i> <i>hydrocodone ER QL</i> <i>hydromorphone ER QL</i> <i>Hysingla™ ER QL</i> <i>Kadian® QL</i> <i>Morphabond™ ER QL</i> <i>morphine sulfate SA (generic Kadian®, Avinza™) QL</i> <i>MS Contin® QL</i> <i>Nucynta® ER CC, QL</i> <i>oxycodone ER QL</i> <i>OxyContin® QL</i> <i>oxymorphone ER QL</i> <i>tramadol ER QL</i> <i>Ultram® ER QL</i> <i>Xtampza™ ER QL</i> <i>Zohydro ER™ QL</i>
<b>Narcotics: Fentanyl Buccal Products</b>	N/A	<i>Abstral® CC, QL</i> <i>Actiq® CC, QL</i> <i>fentanyl citrate lollipop CC, QL</i> <i>Fentora® CC, QL</i> <i>Lazanda® CC, QL</i>
<b>Opiate Dependence Treatments</b>	buprenorphine/naloxone SL tablets AE, QL naltrexone Sublocade™ QL Suboxone® films AE, QL Vivitrol®	<i>Bunavail® CC, QL</i> <i>buprenorphine CC, QL</i> <i>buprenorphine/naloxone SL films CC, QL</i> <i>Lucemyra™ CC, QL</i> <i>Probuphine® CC, QL</i> <i>Zubsolv® CC, QL</i>

## V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Non-Steroidal Anti-Inflammatory Drugs (NSAIDs)</b>	<ul style="list-style-type: none"> <li>celecoxib <sup>QL</sup></li> <li>diclofenac sodium DR tablets</li> <li>diclofenac sodium ER</li> <li>diclofenac sodium topical gel (1%)</li> <li>ibuprofen</li> <li>indomethacin</li> <li>ketorolac tablets <sup>QL</sup></li> <li>meloxicam tablets</li> <li>naproxen tablets</li> <li>sulindac</li> </ul>	<ul style="list-style-type: none"> <li><i>Anaprox® DS</i></li> <li><i>Arthrotec®</i></li> <li><i>Celebrex® QL</i></li> <li><i>Daypro®</i></li> <li><i>diclofenac epolamine patches</i></li> <li><i>diclofenac/misoprostol</i></li> <li><i>diclofenac potassium</i></li> <li><i>diclofenac topical solution</i></li> <li><i>diflunisal</i></li> <li><i>Diclofex DC</i></li> <li><i>Duexis® CC</i></li> <li><i>EC-Naprosyn®</i></li> <li><i>etodolac, etodolac SR</i></li> <li><i>Feldene®</i></li> <li><i>fenoprofen</i></li> <li><i>Flector® CC</i></li> <li><i>flurbiprofen</i></li> <li><i>Indocin®</i></li> <li><i>indomethacin ER</i></li> <li><i>ketoprofen, ketoprofen ER</i></li> <li><i>ketorolac nasal spray<sup>CC</sup></i></li> <li><i>Licart™</i></li> <li><i>meclofenamate</i></li> <li><i>mefenamic acid</i></li> <li><i>meloxicam suspension</i></li> <li><i>Mobic®</i></li> <li><i>nabumetone</i></li> <li><i>Nalfon®</i></li> <li><i>Naprelan® EC</i></li> <li><i>Naprosyn®</i></li> <li><i>naproxen CR, naproxen EC</i></li> <li><i>naproxen suspension</i></li> <li><i>naproxen/esomeprazole</i></li> <li><i>oxaprozin</i></li> <li><i>Pennsaid® CC</i></li> <li><i>piroxicam</i></li> <li><i>Ponstel®</i></li> <li><i>Qmiiiz™ ODT</i></li> <li><i>Relafen™, Relafen™ DS</i></li> <li><i>Sprix™ CC</i></li> <li><i>Tivorbex®</i></li> <li><i>tolmetin</i></li> <li><i>Vimovo™ CC, QL</i></li> <li><i>Vivlodex™ QL</i></li> <li><i>Zipsor™</i></li> <li><i>Zorvolex®</i></li> </ul>

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics:</b> <b>Cephalosporins 1<sup>st</sup> Generation</b>	cefadroxil capsules cephalexin	<i>cefadroxil tablets, suspension</i> <i>Daxbia™</i> <i>Keflex®</i>
<b>Antibiotics:</b> <b>Cephalosporins 2<sup>nd</sup> Generation</b>	cefaclor capsule cefprozil cefuroxime axetil	<i>cefaclor CD</i> <i>Ceftin®</i>
<b>Antibiotics:</b> <b>Cephalosporins 3<sup>rd</sup> Generation</b>	cefdinir	<i>cefditoren pivoxil</i> <i>cefixime</i> <i>cefpodoxime</i> <i>ceftibuten</i> <i>Spectracef®</i> <i>Suprax®</i>
<b>Antibiotics:</b> <b>Gastrointestinal (GI)</b>	Firvanq™ CC metronidazole tablets vancomycin capsules CC Xifaxan® CC, QL	<i>Alinia®</i> <i>Diflucid® QL</i> <i>Flagyl®</i> <i>metronidazole capsules</i> <i>neomycin</i> <i>nitazoxanide</i> <i>paromomycin</i> <i>Solosec™ CC, QL</i> <i>Tindamax®</i> <i>tinidazole</i> <i>Vancocin®</i> <i>vancomycin solution</i>
<b>Antibiotics: Macrolides</b>	azithromycin clarithromycin E.E.S.® granules for suspension erythromycin base capsules DR	<i>clarithromycin ER</i> <i>E.E.S 400® tablets</i> <i>EryPed®</i> <i>Ery-Tab®</i> <i>Erythrocin®</i> <i>erythromycin base tablets</i> <i>erythromycin ethylsuccinate 200mg suspension</i> <i>PCE®</i> <i>Zithromax®</i> <i>Zmax®</i>
<b>Antibiotics:</b> <b>Oxazolidinones</b>	linezolid tablets CC, QL, MD	<i>linezolid suspension QL, MD</i> <i>Sivextro™ QL</i> <i>Zyvox® QL, MD</i>
<b>Antibiotics: Penicillins</b>	amoxicillin amoxicillin/clavulanate tablets, suspension ampicillin dicloxacillin penicillin V	<i>amoxicillin ER</i> <i>amoxicillin/clavulanate chewable tablets</i> <i>amoxicillin/clavulanate ER</i> <i>Augmentin®</i> <i>Augmentin XR®</i>
<b>Antibiotics: Pleuromutilins</b>	N/A	<i>Xenleta™ CC, QL</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics: Quinolones</b>	ciprofloxacin tablets levofloxacin tablets	<i>Baxdela™ AE, QL</i> <i>ciprofloxacin ER</i> <i>ciprofloxacin suspension</i> <i>Cipro®</i> <i>Cipro XR®</i> <i>Levaquin®</i> <i>levofloxacin solution</i> <i>moxifloxacin</i> <i>Noroxin®</i> <i>ofloxacin</i>
<b>Antibiotics: Sulfonamides, Folate Antagonist</b>	trimethoprim trimethoprim/sulfamethoxazole	<i>Bactrim®</i> <i>Bactrim DS®</i> <i>sulfadiazine</i> <i>Sulfatrim® suspension</i>
<b>Antibiotics: Tetracyclines</b>	demeclocycline doxycycline hyclate doxycycline monohydrate 50 mg, 100 mg capsules doxycycline monohydrate suspension, tablets minocycline capsules	<i>Adoxa®</i> <i>Doryx® and Doryx® MPC</i> <i>doxycycline hyclate DR capsules, tablets</i> <i>doxycycline IR-DR</i> <i>doxycycline monohydrate 75, 150 mg capsules</i> <i>doxycycline "kits" or "packs"</i> <i>Minocin®</i> <i>minocycline tablets</i> <i>minocycline ER</i> <i>Morgidox®</i> <i>Nuzyra™ CC, QL</i> <i>Oracea™</i> <i>Solodyn®</i> <i>Targadox™</i> <i>tetracycline</i> <i>Vibramycin®</i> <i>Ximino™</i>
<b>Antibiotics: Vaginal</b>	Cleocin® Ovules Clindesse® Nuvessa® Vandazole®	<i>Cleocin® cream</i> <i>clindamycin vaginal 2% cream</i> <i>MetroGel Vaginal®</i> <i>metronidazole vaginal 0.75% gel</i>

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antifungals: Oral</b>	clotrimazole fluconazole griseofulvin suspension itraconazole capsules <sup>CC</sup> nystatin suspension, tablets terbinafine	<i>Ancobon</i> <sup>®</sup> <i>Cresemba</i> <sup>®</sup> <i>Diflucan</i> <sup>®</sup> <i>flucytosine</i> <i>griseofulvin microsize tablets</i> <i>griseofulvin ultramicrosize</i> <i>Gris-PEG</i> <sup>®</sup> <i>itraconazole solution</i> <i>ketoconazole</i> <i>Lamisil</i> <sup>®</sup> <i>Noxafil</i> <sup>®</sup> <i>nystatin powder</i> <i>Onmel</i> <sup>TM</sup> <i>Oravig</i> <sup>TM</sup> <i>posaconazole</i> <i>Sporanox</i> <sup>®</sup> <i>Tolsura</i> <i>Vfend</i> <sup>®</sup> <i>voriconazole</i>
<b>Antivirals: Herpes</b>	acyclovir famciclovir valacyclovir	<i>Sitavig</i> <sup>®</sup> <i>Valtrex</i> <sup>®</sup>
<b>Antivirals: Influenza</b>	oseltamivir <sup>QL</sup>	<i>Flumadine</i> <sup>®</sup> <i>Relenza</i> <sup>®</sup> <i>rimantadine</i> <i>Tamiflu</i> <sup>® QL</sup> <i>Xofluza</i> <sup>TM CC, QL</sup>
<b>Anti-Infectives:</b> <b>Hepatitis B</b>	entecavir Epivir-HBV <sup>®</sup> solution lamivudine HBV	<i>adefovir</i> <i>Baraclude</i> <sup>TM</sup> <i>Epivir-HBV</i> <sup>® tablet</sup> <i>Hepsera</i> <sup>®</sup> <i>Vemlidy</i> <sup>® CC, QL</sup>
<b>Hepatitis C: Direct-Acting Antiviral Agents</b>	Mavyret <sup>™ CC, QL</sup> sofosbuvir/velpatasvir <sup>CC, QL</sup> Vosevi <sup>™ CC, QL</sup>	<i>Epclusa</i> <sup>® CC, QL</sup> <i>Harvoni</i> <sup>® CC, QL</sup> <i>ledipasvir/sofosbuvir CC, QL</i> <i>Sovaldi</i> <sup>™ CC, QL</sup> <i>Viekira Pak</i> <sup>® CC, QL</sup> <i>Zepatier</i> <sup>™ CC, QL</sup>
<b>Hepatitis C: Interferons</b>	PEGASYS <sup>®</sup> ProClick CC, QL PEGASYS <sup>®</sup> syringe CC, QL	<i>PEGASYS</i> <sup>® vial CC, QL</sup> <i>PEGIntron</i> <sup>™ CC, QL</sup>
<b>Hepatitis C: Ribavirins</b>	ribavirin <sup>CC</sup>	<i>Moderiba</i> <sup>™ CC</sup> <i>ribavirin dosepack</i> <sup>CC</sup>

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antiretrovirals: HIV/AIDS</b>	abacavir QL abacavir-lamivudine atazanavir QL Atripla® QL Biktarvy® QL Cimduo™ QL Complera® QL Delstrigo™ QL Descovy® CC, QL Dovato QL Edurant® efavirenz Emtriva® Evotaz™ QL Genvoya® QL Intelence® Isentress® Juluca QL Kaletra® tablet lamivididine QL lamivudine-zidovudine lopinavir-ritonavir solution Norvir® solution QL Norvir® tablets Odefsey® QL Pifelro™ QL Prezcobix® QL Prezista® Selzentry® stavudine capsules QL stavudine solution Stribild® QL Symfi™ QL Symfi Lo™ QL Symtuza™ QL Temixys™ QL tenofovir disoproxil fumarate tablets QL Tivicay® QL Triumeq® QL Trizivir® Truvada® CC, QL Tybost® Videx® EC QL Viread® powder packets zidovudine syrup, tablets	<i>abacavir-lamivudine-zidovudine</i> <i>Aptivus®</i> <i>Combivir®</i> <i>Crixivan®</i> <i>didanosine DR QL</i> <i>efavirenz/emtricitabine/tenofovir disoproxil fumarate</i> <i>emtricitabine/tenofovir disoproxil fumarate</i> <i>Epivir® QL</i> <i>Epzicom®</i> <i>fosamprenavir</i> <i>Fuzeon®</i> <i>Invirase®</i> <i>Kaletra® solution</i> <i>Lexiva®</i> <i>nevirapine QL</i> <i>nevirapine ER QL</i> <i>Norvir® powder packets</i> <i>Retrovir®</i> <i>Reyataz®</i> <i>ritonavir</i> <i>Sustiva®</i> <i>Videx® solution</i> <i>Viracept®</i> <i>Viramune® QL</i> <i>Viramune XR® QL</i> <i>Viread® tablets QL</i> <i>Zerit® capsules QL</i> <i>Ziagen® QL</i> <i>zidovudine capsules</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Diabetes: Insulins and Related Agents</b>	Humalog® cartridge and Humalog® vial Humalog® 100 unit/mL KwikPen® Humalog® Junior (Jr) KwikPen® Humalog® Mix and Humalog® Mix KwikPen® Humulin® N and Humulin® N KwikPen® Humulin® R vial Humulin® R U-500 and Humulin® R U-500 KwikPen® Humulin® 70/30 and Humulin® 70/30 KwikPen® Lantus® and Lantus® Solostar Levemir® and Levemir® FlexTouch® Novolog® and Novolog® FlexTouch® Novolog® PenFill® Novolog® Mix and Novolog Mix FlexPen®	<i>Admelog® and Admelog Solostar® CC</i> <i>Afrezza®</i> <i>Apidra™ and Apidra™ Solostar®</i> <i>Basaglar® KwikPen® CC</i> <i>Fiasp® and Fiasp® FlexTouch®</i> <i>Humalog® 200 unit/mL KwikPen®</i> <i>insulin aspart</i> <i>insulin aspart/insulin aspart protamine</i> <i>insulin lispro</i> <i>insulin lispro/insulin lispro protamine</i> <i>Lyumjev™ (all formulations)</i> <i>Novolin® vial</i> <i>Novolin® 70/30 vial</i> <i>Semglee™ pen and vial</i> <i>Symlin® CC</i> <i>Toujeo® Solostar® and Toujeo® Max Solostar®</i> <i>Tresiba® FlexTouch®</i>
<b>Diabetes: DPP-4 Inhibitors</b>	Glyxambi® ST, QL Janumet™ ST, QL Janumet XR™ ST, QL Januvia™ ST, QL Jentadueto™ ST, QL Tradjenta™ ST, QL	<i>alogliptin QL</i> <i>alogliptin/metformin QL</i> <i>alogliptin/pioglitazone QL</i> <i>Jentadueto® XR QL</i> <i>Kazano® QL</i> <i>Kombiglyze™ XR QL</i> <i>Nesina® QL</i> <i>Onglyza™ QL</i> <i>Oseni® QL</i> <i>Qtern® QL</i> <i>Steglycan™ QL</i> <i>Trijardy® XR QL</i>
<b>Diabetes: GLP-1 Receptor Agonists</b>	Byetta™ ST, QL Bydureon® and Bydureon® Pen ST, QL Trulicity™ ST, QL Victoza® ST, QL	<i>Adlyxin™ QL</i> <i>Bydureon® BCise™</i> <i>Ozempic® QL</i> <i>Rybelsus® QL</i> <i>Soliqua™ CC, QL</i> <i>Xultophy® CC, QL</i>
<b>Diabetes: Alpha-Glucosidase Inhibitors</b>	acarbose QL Glyset® QL	<i>miglitol QL</i>
<b>Diabetes: Metformins</b>	glyburide/metformin metformin tablets metformin ER tablets (generic Glucophage XR®)	<i>Fortamet™</i> <i>glipizide/metformin</i> <i>Glucovance®</i> <i>Glumetza™</i> <i>metformin ER (generic Fortamet™, Glumetza®)</i> <i>Riomet™</i> <i>Riomet ER™</i>
<b>Diabetes: Meglitinides</b>	nateglinide QL repaglinide QL	<i>Prandin® QL</i> <i>repaglinide/metformin QL</i> <i>Starlix® QL</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Diabetes: Sulfonylureas</b>	glimepiride glipizide glipizide extended-release glyburide glyburide micronized	<i>Amaryl</i> <sup>®</sup> <i>chlorpropamide</i> <i>Glucotrol</i> <sup>®</sup> <i>Glucotrol XL</i> <sup>®</sup> <i>Glynase PresTab</i> <sup>®</sup> <i>tolazamide</i> <i>tolbutamide</i>
<b>Diabetes: Thiazolidinediones</b>	pioglitazone QL	<i>Actos</i> <sup>®</sup> QL <i>ActoPlus Met</i> <sup>®</sup> QL <i>ActoPlus Met</i> <sup>®</sup> XR QL <i>Avandia</i> <sup>®</sup> QL <i>DuetAct</i> <sup>™</sup> QL <i>pioglitazone/glimepiride</i> QL <i>pioglitazone/metformin</i> QL
<b>Diabetes: SGLT2 Inhibitors</b>	Farxiga <sup>™</sup> ST, QL <i>Invokana</i> <sup>®</sup> ST, QL <i>Jardiance</i> <sup>®</sup> ST, QL <i>Synjardy</i> <sup>®</sup> ST, QL	<i>Invokamet</i> <sup>™</sup> QL <i>Invokamet</i> <sup>®</sup> XR QL <i>Segluromet</i> <sup>™</sup> QL <i>Steglatro</i> <sup>™</sup> QL <i>Synjardy</i> <sup>®</sup> XR QL <i>Xigduo</i> <sup>™</sup> XR QL
<b>Glucagon Agents</b>	Baqsimi <sup>™</sup> CC glucagon, recombinant Proglycem <sup>®</sup>	<i>diazoxide</i> <i>glucagon HCl</i> <i>Gvoke</i> <sup>™</sup>
<b>Growth Hormones</b>	Genotropin <sup>®</sup> CC Norditropin <sup>®</sup> CC Norditropin Flexpro <sup>®</sup> CC	<i>Humatrop</i> e <sup>®</sup> CC <i>Nutropin AQ NuSpin</i> <sup>®</sup> CC <i>Omnitrope</i> <sup>®</sup> CC <i>Saizen</i> <sup>®</sup> CC <i>Serostim</i> <sup>®</sup> CC <i>Zomacton</i> <sup>®</sup> CC <i>Zorbtive</i> <sup>®</sup> CC

## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Bone Resorption Suppression and Related Agents</b>	alendronate tablets <sup>QL</sup> ibandronate tablets <sup>QL</sup> raloxifene	<i>Actonel® QL</i> <i>alendronate solution QL</i> <i>Atelvia™ QL</i> <i>Binosto® QL</i> <i>Boniva® QL</i> <i>calcitonin-salmon</i> <i>etidronate</i> <i>Evenity™ CC, QL</i> <i>Evista®</i> <i>Forteo™ QL</i> <i>Fosamax® QL</i> <i>Fosamax Plus D™ QL</i> <i>Miacalcin®</i> <i>Prolia™</i> <i>Reclast® QL</i> <i>risedronate QL</i> <i>teriparatide QL</i> <i>Tymlos™ CC</i> <i>zoledronic acid QL</i>
<b>Progestins for Cachexia</b>	megestrol acetate 40 mg/mL, tablets	<i>Megace ES®</i> <i>megestrol acetate 625 mg/5 mL</i>
<b>Pancreatic Enzymes</b>	Creon® Zenpep®	<i>Pancreaze™</i> <i>Pertzye™</i> <i>Viokace™</i>
<b>Androgenic Agents</b>	Androderm® testosterone gel pump (generic Androgel®)	<i>Androgel®</i> <i>Axiron®</i> <i>Fortesta®</i> <i>Natesto™</i> <i>Testim®</i> <i>testosterone gel packet (generic Androgel®)</i> <i>testosterone gel (generic Axiron®, Fortesta®, Testim®, Vogelxo®)</i> <i>Vogelxo®</i>

## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Oral Steroids	budesonide EC dexamethasone solution, tablets hydrocortisone methylprednisolone dose pack, tablets prednisolone solution prednisolone sodium phosphate prednisone dose pack, tablets, solution	<i>Alkindi® Sprinkle</i> <i>Celestone®</i> <i>Cortef®</i> <i>cortisone</i> <i>Decadron®</i> <i>dexamethasone elixir</i> <i>dexamethasone intensol</i> <i>DexPak®</i> <i>Dxevo</i> <i>Emflaza® CC, QL</i> <i>Entocort EC®</i> <i>Hemady®</i> <i>Medrol®</i> <i>methylprednisolone 8 mg, 16 mg tablets</i> <i>Millipred®</i> <i>Ortikos™</i> <i>prednisone intensol</i> <i>prednisolone sodium phosphate ODT</i> <i>Rayos®</i> <i>TaperDex™</i> <i>Veripred 20®</i> <i>ZoDex™</i>

## VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Immunomodulators	Cosentyx® CC, QL Enbrel® CC, QL Humira® CC, QL	<i>Actemra® CC, QL</i> <i>Cimzia® CC, QL</i> <i>Illumya™ CC, QL</i> <i>Kevzara® CC, QL</i> <i>Kineret® CC, QL</i> <i>Olumiant® CC, QL</i> <i>Orencia® CC, QL</i> <i>Otezla® CC, QL</i> <i>Rinvoq™ CC, QL</i> <i>Siliq™ CC, QL</i> <i>Simponi™ CC, QL</i> <i>Skyrizi™ CC, QL</i> <i>Stelara™ CC, QL</i> <i>Taltz® CC, QL</i> <i>Tremfya™ CC, QL</i> <i>Xeljanz® CC, QL</i> <i>Xeljanz® XR CC, QL</i>
Immunomodulators, Atopic Dermatitis	Elidel® Eucrisa® CC, QL	<i>Dupixent® CC, QL</i> <i>pimecrolimus</i> <i>Protopic®</i> <i>tacrolimus</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Multiple Sclerosis Agents</b>	Avonex® CC, QL Betaseron® CC, QL Copaxone® 20 mg CC, QL Gilenya™ CC, QL Rebif® CC, QL Tecfidera™ CC, QL	<i>Ampyra</i> ™ QL <i>Aubagio</i> ® QL <i>Bafiertam</i> ™ QL <i>Copaxone</i> ® 40 mg QL <i>dalfampridine ER</i> QL <i>dimethyl fumarate</i> QL <i>Extavia</i> ® QL <i>glatiramer acetate</i> QL <i>Glatopa</i> ™ QL <i>Mavenclad</i> ® CC, QL <i>Mayzent</i> ® CC, QL <i>Plegridy</i> ® <i>Vumerity</i> ™ QL <i>Zeposia</i> ® CC, QL
<b>Immunosuppressants</b>	azathioprine CellCept® suspension cyclosporine cyclosporine modified Gengraf® mycophenolate mofetil capsules, tablets mycophenolic acid sirolimus tacrolimus	<i>Astagraf XL</i> ™ <i>Azasan</i> ® <i>CellCept</i> ® capsules, tablets <i>Envarsus</i> ® XR <i>everolimus</i> <i>Imuran</i> ® <i>mycophenolate mofetil suspension</i> <i>Myfortic</i> ® <i>Neoral</i> ® <i>Prograf</i> ® <i>Rapamune</i> ® <i>Sandimmune</i> ® <i>Zortress</i> ®

## IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Erythropoiesis Stimulating Proteins</b>	Aranesp® CC Epogen® CC Retacrit™ CC	<i>Mircera</i> ® <i>Procrit</i> ® <i>Reblozy</i> ® CC
<b>Thrombopoiesis Stimulating Agents</b>	Promacta® tablets CC	<i>Doptelet</i> ® CC, QL <i>Mulpleta</i> ® CC, QL <i>Nplate</i> ™ CC <i>Promacta</i> ® suspension packets CC <i>Tavalisse</i> ™ CC, QL
<b>Antihyperuricemics</b>	allopurinol colchicine tablets CC probencid probencid/colchicine	<i>colchicine capsules</i> CC <i>Colcrys</i> ® CC <i>febuxostat</i> QL <i>Gloperba</i> ® <i>Mitigare</i> ® CC <i>Uloric</i> ® CC, QL <i>Zyloprim</i> ®

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
Colony Stimulating Factors	Neupogen® CC, QL	<i>Granix® QL</i> <i>Fulphila™ QL</i> <i>Leukine® QL</i> <i>Neulasta® QL</i> <i>Nivestym™ QL</i> <i>Udenyca™ QL</i> <i>Zarxio® QL</i> <i>Ziextenzo® QL</i>
Phosphate Binders	calcium acetate MagneBind® 400 RX Phoslyra™ sevelamer carbonate tablets	<i>Auryxia™</i> <i>Eliphos™</i> <i>Fosrenol®</i> <i>lanthanum carbonate</i> <i>PhosLo®</i> <i>sevelamer carbonate powder packets</i> <i>sevelamer hydrochloride</i> <i>Renagel®</i> <i>Renvela™</i> <i>Velphoro®</i>

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antivirals	trifluridine	<i>Viroptic®</i> <i>Visrasert® intraocular implant</i> <i>Zirgan®</i>
Ophthalmic Quinolones	ciprofloxacin ofloxacin moxifloxacin (generic Vigamox™)	<i>Besivance™</i> <i>Ciloxan®</i> <i>gatifloxacin</i> <i>levofloxacin</i> <i>Moxeza™</i> <i>moxifloxacin (generic Moxeza™)</i> <i>Ocuflax®</i> <i>Quixin®</i> <i>Vigamox™</i> <i>Zymaxid™</i>
Ophthalmic Antibiotics, Non-Quinolones	bacitracin bacitracin/polymyxin B erythromycin 0.5% ointment gentamicin solution/ointment polymyxin B/trimethoprim sulfacetamide solution tobramycin solution	<i>AzaSite™</i> <i>Bleph®-10</i> <i>Garamycin®</i> <i>Ilotycin®</i> <i>Natacyn®</i> <i>Neocidin®</i> <i>neomycin/polymyxin B/bacitracin</i> <i>neomycin/polymyxin B/gramicidin</i> <i>Neosporin®</i> <i>Polytrim®</i> <i>sulfacetamide ointment</i> <i>Tobrex®</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antibiotic-Steroid Combinations	Blephamide® dexamethasone/neomycin sulfate/polymyxin B hydrocortisone/bacitracin zinc/neomycin sulfate/polymyxin B Tobradex®	<i>Blephamide® S.O.P.</i> <i>dexamethasone/tobramycin</i> <i>hydrocortisone/neomycin sulfate/polymyxin B</i> <i>Maxitrol®</i> <i>Pred-G®</i> <i>Pred-G® S.O.P.</i> <i>prednisolone sodium phosphate/sulfacetamide sodium</i> <i>Tobradex® ST</i> <i>Zylet™</i>
Ophthalmic Antihistamines	ketotifen olopatadine 0.1% (generic Patanol®) olopatadine 0.2% (generic Pataday™)	<i>azelastine</i> <i>Bepreve™</i> <i>Elastat™</i> <i>epinastine</i> <i>Lastacaft™</i> <i>Optivar®</i> <i>Pataday™</i> <i>Patanol®</i> <i>Pazeo™</i> <i>Zerviate™</i>
Ophthalmic Beta Blockers	levobunolol timolol maleate (except preservative-free)	<i>Betagan®</i> <i>betaxolol</i> <i>Betimol®</i> <i>Betoptic S®</i> <i>carteolol</i> <i>Istalol®</i> <i>metipranolol</i> <i>Optipranolol®</i> <i>timolol maleate once daily (generic Istalol®)</i> <i>timolol PF (preservative-free)</i> <i>Timoptic®</i> <i>Timoptic XE®</i>
Ophthalmic Carbonic Anhydrase Inhibitors	dorzolamide	<i>Azopt®</i> <i>Trusopt®</i>
Ophthalmic Combinations for Glaucoma	Combigan™ dorzolamide/timolol (except preservative-free) Simbrinza™	<i>Cosopt®</i> <i>Cosopt PF®</i> <i>dorzolamide/timolol PF (preservative-free)</i>
Ophthalmic Vasoconstrictors	naphazoline phenylephrine	<i>Altafrin®</i> <i>Mydfrin®</i> <i>Neofrin®</i>
Ophthalmic Mast Cell Stabilizers	cromolyn sodium	<i>Alocril®</i> <i>Alomide®</i>

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Mydriatics & Mydriatic Combinations	atropine sulfate cyclopentolate tropicamide	<i>Cyclogyl®</i> <i>Cyclomydril®</i> <i>Homatropaire®</i> <i>homatropine</i> <i>Isopto Atropine®</i> <i>Isopto Homatropine®</i> <i>Isopto Hyoscine®</i> <i>Mydriacyl®</i> <i>Paremyd®</i>
Ophthalmic NSAIDs	diclofenac flurbiprofen ketorolac	<i>Acular®</i> <i>Acular LS®</i> <i>Acuvail®</i> <i>bromfenac</i> <i>BromSite™</i> <i>Ilevro™</i> <i>Nevanac™</i> <i>Ocufen®</i> <i>Prolensa™</i> <i>Voltaren®</i>
Ophthalmic Prostaglandin Agonists	latanoprost QL	<i>bimatoprost QL</i> <i>Lumigan® QL</i> <i>Rescula® QL</i> <i>Travatan Z®</i> <i>travoprost</i> <i>Vyzulta™ CC, QL</i> <i>Xalatan® QL</i> <i>Xelpros™</i> <i>Zioptan® QL</i>
Ophthalmic Anti-Inflammatory Steroids	dexamethasone sodium phosphate Durezol™ fluorometholone prednisolone acetate prednisolone sodium phosphate	<i>Alrex®</i> <i>Flarex®</i> <i>FML®</i> <i>FML Forte®</i> <i>FML S.O.P.®</i> <i>Inveltys™</i> <i>Lotemax™</i> <i>loteprednol</i> <i>Maxidex®</i> <i>Omnipred™</i> <i>Ozurdex™</i> <i>Pred Forte®</i> <i>Pred Mild®</i> <i>Retisert™</i> <i>Triesence®</i> <i>Vexol®</i>
Ophthalmic Sympathomimetics	Alphagan P® 0.15% brimonidine 0.2%	<i>Alphagan P® 0.1%</i> <i>apraclonidine</i> <i>brimonidine 0.15%</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Immunomodulators	Restasis® ST Xiidra™ ST, QL	Cequa™ Eysuvis™
Ophthalmics, Glaucoma Agents (Other)	Rhopressa® ST, QL Rocklatan™ ST, QL	Isopto Carpine® pilocarpine Pilopine HS® 4%

## XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
Otic Antibiotics	CiproDex® Otic hydrocortisone/neomycin/polymyxin B ofloxacin 0.3% solution	ciprofloxacin 0.2% Cipro HC® Otic ciprofloxacin/dexamethasone ciprofloxacin/fluocinolone Otovel™
Otic Anesthetics and Anti-Inflammatories	acetic acid	acetic acid/hydrocortisone Dermotic® fluocinolone acetonide 0.01% oil

## XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Alpha Blockers for BPH	alfuzosin ER doxazosin tamsulosin terazosin	Cardura® Cardura XL® Flomax® Rapaflo™ silodosin
5-Alpha Reductase (5AR) Inhibitors	finasteride CC dutasteride	Avodart® dutasteride/tamsulosin Jalyn® Proscar®
Bladder Relaxants	oxybutynin QL oxybutynin ER QL solifenacina QL Toviaz™ QL	darifenacin ER QL Detrol® QL Detrol® LA QL Ditropan® XL QL Enablex® QL flavoxate QL Gelnique™ CC, QL Myrbetriq™ QL Oxytrol® QL tolterodine QL tolterodine ER QL trospium QL trospium ER QL Vesicare® QL

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antiviral Agents	acyclovir ointment Zovirax® cream	<i>acyclovir cream</i> <i>Denavir®</i> <i>Xerese™</i> <i>Zovirax® ointment</i>
Topical Antibiotic Agents	gentamicin mupirocin ointment	<i>Centany®</i> <i>mupirocin cream</i> <i>Xepi™ CC, QL</i>
Topical Antiparasitic Agents	Natroba® permethrin 5% cream	<i>Crotan™</i> <i>Elimite™</i> <i>Eurax®</i> <i>ivermectin lotion</i> <i>lindane</i> <i>malathion</i> <i>Ovide®</i> <i>Sklice®</i> <i>spinosad</i> <i>Ulesfia®</i>

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents	adapalene gel (except pump) clindamycin gel, medicated swab (pledget), solution clindamycin/benzoyl peroxide (generic BenzaClin® or Duac®; excluding pumps) erythromycin solution erythromycin/benzoyl peroxide Retin-A® cream, gel	<i>Acanya™</i> <i>Aczone™</i> <i>adapalene cream, gel pump, solution, swab</i> <i>adapalene/benzoyl peroxide</i> <i>Aklierf®</i> <i>Altreno™</i> <i>Amzeeq™</i> <i>Arazlo™</i> <i>Atralin™</i> <i>Avar™, Avar E™, Avar E LS™, Avar LS™</i> <i>Avita®</i> <i>BenzaClin®</i> <i>Benzamycin®</i> <i>BenzePro™</i> <i>benzoyl peroxide cleanser, kit, microspheres, gel, foam, medicated pad, towlette</i> <i>BP 10-1®</i> <i>BPO®, BPO-5®, BPO-10®</i> <i>BP Wash™</i> <i>Brevoxyl®</i> <i>Cleocin-T®</i> <i>Clindacin PAC™</i> <i>Clindagel®</i> <i>clindamycin foam, lotion</i> <i>clindamycin/benzoyl peroxide gel pump</i> <i>clindamycin/tretinoin</i> <i>dapsone gel</i> <i>DermaPak Plus Kit</i> <i>Differin®</i> <i>Duac®</i> <i>Effaclar Duo®</i> <i>Epiduo™, Epiduo Forte™</i> <i>Erygel®</i> <i>erythromycin gel, medicated swab</i> <i>Fabior®</i> <i>Inova™, Inova™ 4-1, Inova™ 8-2</i> <i>Klaron®</i> <i>Neuac®</i> <i>Pacnex®</i> <i>Panoxyl®</i> <i>Persa-Gel®</i> <i>Plixda™</i> <i>PR benzoyl peroxide</i> <i>OC8®</i> <i>Onexton™</i> <i>Ovace®Ovace Plus®</i> <i>Retin-A Micro®</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with  
Maximum Duration

QL = Quantity Limits

ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents <i>(continued)</i>	(see previous page)	<i>Rosula®</i> <i>sodium sulfacetamide 10% CLNSG</i> <i>sodium sulfacetamide/sulfur 10-4% pad</i> <i>sodium sulfacetamide/sulfur cleanser</i> <i>sodium sulfacetamide/sulfur/urea</i> <i>SSS 10-5®</i> <i>sulfacetamide cleanser</i> <i>sulfacetamide/urea</i> <i>Sumadan™, Sumadan™ XLT</i> <i>Sumaxin®</i> <i>Tazorac®</i> <i>tazarotene</i> <i>Tretin-X™</i> <i>tretinoin</i> <i>tretinoin microsphere</i> <i>Vanoxide-HC®</i> <i>Ziana™</i>
Oral Acne Agents	Amnesteem® isotretinoin	<i>Absorica™</i> <i>Absorica LD™</i>
Topical Rosacea Agents	MetroCream® MetroGel®	<i>azelaic acid</i> <i>Azelex®</i> <i>Finacea®</i> <i>ivermectin 1% cream</i> <i>metronidazole cream, gel, lotion</i> <i>Mirvaso®</i> <i>Noritate®</i> <i>Rhofade® CC, QL</i> <i>Rosadan® Kit</i> <i>Soolantra®</i> <i>Xilxi™</i>

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Topical Antifungal Agents</b>	clotrimazole cream, solution clotrimazole/betamethasone cream ketoconazole cream, shampoo nystatin cream, ointment, powder nystatin/triamcinolone cream, ointment	<i>Ciclodan® cream, kit, solution</i> <i>ciclopirox</i> <i>clotrimazole/betamethasone lotion</i> <i>econazole</i> <i>Ertaczo®</i> <i>Exelderma®</i> <i>Extina®</i> <i>Jublia® CC</i> <i>Kerydin™ CC</i> <i>ketoconazole foam</i> <i>Ketodan™</i> <i>Loprox®</i> <i>Lotrimin®</i> <i>Lotrisone®</i> <i>Iuliconazole</i> <i>Luzu®</i> <i>Mentax®</i> <i>miconazole/zinc oxide/petrolatum</i> <i>naftifine</i> <i>Naftin®</i> <i>Nyamyc®</i> <i>Nystop®</i> <i>Oxistat®</i> <i>oxiconazole</i> <i>Penlac®</i> <i>tavaborole</i> <i>Vusion® CC</i>
<b>Topical Steroids</b>	alcmetasone dipropionate betamethasone dipropionate cream, lotion betamethasone dipropionate (augmented) cream betamethasone valerate cream, ointment clobetasol propionate cream, gel, ointment, shampoo, solution Derma-Smoothe/FS® desonide cream, ointment fluocinonide solution fluticasone propionate cream, ointment halobetasol propionate cream, ointment hydrocortisone cream, gel, lotion, ointment hydrocortisone valerate cream mometasone furoate cream, ointment, solution triamcinolone acetonide cream, lotion, ointment	<i>amcinonide</i> <i>ApexiCon®/ApexiCon E®</i> <i>Aqua Glycolic®/Aqua Glycolic HC®</i> <i>Balneol®</i> <i>Beser™</i> <i>betamethasone dipropionate ointment</i> <i>betamethasone dipropionate augmented ointment</i> <i>betamethasone valerate foam, lotion</i> <i>Bryhali™</i> <i>Capex® Shampoo</i> <i>clobetasol emollient</i> <i>clobetasol propionate foam, lotion, spray</i> <i>Clobex®</i> <i>clocortolone</i> <i>Clodan®</i> <i>Cloderm®</i> <i>Cordran® Tape</i> <i>Cutivate®</i> <i>Dermatop®</i> <i>Desonate®</i> <i>desonide gel, lotion</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with

Maximum Duration

QL = Quantity Limits

ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
		<i>desoximetasone</i> <i>diflorasone diacetate</i> <i>Diprolene®</i> <i>Diprolene AF®</i> <i>fluocinolone acetonide oil</i> <i>fluocinolone acetonide</i> <i>fluocinonide emollient</i> <i>fluocinonide cream, gel, ointment</i> <i>flurandrenolide</i> <i>fluticasone propionate lotion</i> <i>halcinonide cream</i> <i>halobetasol propionate foam</i> <i>Halog®</i> <i>hydrocortisone-aloe</i> <i>hydrocortisone butyrate</i> <i>hydrocortisone butyrate/emollient</i> <i>hydrocortisone valerate</i> <i>hydrocortisone-urea</i> <i>Impeklo™</i> <i>Kenalog®</i> <i>Lexette</i> <i>Locoid®</i> <i>Locoid Lipocream®</i> <i>Luxiq®</i> <i>Micort-HC®</i> <i>Olux®/Olux-E®</i> <i>Pandel®</i> <i>prednicarbate</i> <i>Psorcon®</i> <i>Sernivo™</i> <i>Silazone-II™</i> <i>Synalar®, Synalar® TS</i> <i>Temovate®</i> <i>Texacort®</i> <i>Topicort®</i> <i>Tovet™</i> <i>triamcinolone acetonide spray</i> <i>Trianex®</i> <i>Ultravate, Ultravate® X</i> <i>Vanos™</i>

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Psoriasis Agents	calcipotriene cream, ointment, solution	<i>calcipotriene foam</i> <i>calcipotriene/betamethasone</i> <i>Calcitrene™</i> <i>calcitriol ointment</i> <i>Dovonex®</i> <i>Duobrii™</i> <i>Enstilar® MD</i> <i>Sorilux™</i> <i>Taclonex® ointment, suspension</i> <i>Taclonex® Scalp</i> <i>Vectical™</i>
Oral Psoriasis Agents	acitretin	<i>methoxsalen</i> <i>Oxsoralean-Ultra®</i> <i>Soriatane®</i>